# PLANNING AUTHORITY'S SUBMISSIONS



Renfrewshire House Cotton Street Paisley PA1 1JD Tel: 0300 3000 144 Fax: 0141 618 7935 Email: dc@renfrewshire.gov.uk

Applications cannot be validated until all the necessary documentation has been submitted and the required fee has been paid.

Thank you for completing this application form:

ONLINE REFERENCE 100093600-001

Agent Details					
Please enter Agent detail	s				
Company/Organisation:	NVDC Architects				
Ref. Number:		You must enter a B	uilding Name or Number, or both: *		
First Name: *	Farahbod	Building Name:	Bradbury House		
Last Name: *	Nakhaei	Building Number:	10		
Telephone Number: *	0141 959 8752	Address 1 (Street): *	High Craighall Road		
Extension Number:		Address 2:			
Mobile Number:		Town/City: *	Glasgow		
Fax Number:		Country: *	UK		
		Postcode: *	G4 9UD		
Email Address: *	enquiries@nvdc.co.uk				
	Is the applicant an individual or an organisation/corporate entity? *  Individual  Organisation/Corporate entity				
Applicant Det	ails				
Please enter Applicant de	etails				
Title:		You must enter a B	uilding Name or Number, or both: *		
Other Title:		Building Name:	Burnview		
First Name: *		Building Number:			
Last Name: *		Address 1 (Street): *	Prieston Road		
Company/Organisation	Burnview Properties Ltd.	Address 2:			
Telephone Number: *		Town/City: *	Bridge of Weir		
Extension Number:		Country: *	United Kingdom		
Mobile Number:		Postcode: *	PA11 3AW		
Fax Number:					
Email Address: *					

Site Address Details					
Planning Authority:	Renfrewshire Counc	il			
Full postal address of the	site (including postcode	where available):			
Address 1:					
Address 2:					
Address 3:					
Address 4:					
Address 5:					
Town/City/Settlement:					
Post Code:					
Please identify/describe th	e location of the site or	sites			
Northing 6	665352		Easting	239047	
Pre-Application	n Discussion	n			
Have you discussed your p				☐ Yes ☒ No	
Site Area					
Please state the site area:		0.08			
Please state the measurer	Please state the measurement type used:     Square Metres (sq.m)				
Existing Use					
Please describe the current or most recent use: * (Max 500 characters)					
Former Clydesdale Bank, currently vacant.					
Access and Parking					
Are you proposing a new altered vehicle access to or from a public road? *   If Yes please describe and show on your drawings the position of any existing. Altered or new access points, highlighting the changes you propose to make. You should also show existing footpaths and note if there will be any impact on these.					


Are you proposing any change to public paths, public rights of way or affecting any public right of access? * Yes X No					
If Yes please show on your drawings the position of any affected areas highlighting the changes you propose to make, including arrangements for continuing or alternative public access.					
How many vehicle parking spaces (garaging and open parking) currently exist on the application Site?	0				
How many vehicle parking spaces (garaging and open parking) do you propose on the site (i.e. the Total of existing and any new spaces or a reduced number of spaces)? *	0				
Please show on your drawings the position of existing and proposed parking spaces and identify if thes types of vehicles (e.g. parking for disabled people, coaches, HGV vehicles, cycles spaces).	e are for the use of particular				
Water Supply and Drainage Arrangements					
Will your proposal require new or altered water supply or drainage arrangements? *	☐ Yes ☒ No				
Do your proposals make provision for sustainable drainage of surface water?? * (e.g. SUDS arrangements) *	☐ Yes ☒ No				
Note:-					
Please include details of SUDS arrangements on your plans					
Selecting 'No' to the above question means that you could be in breach of Environmental legislation.					
Are you proposing to connect to the public water supply network? *  Yes					
<ul> <li>No, using a private water supply</li> <li>No connection required</li> </ul>					
If No, using a private water supply, please show on plans the supply and all works needed to provide it	(on or off site).				
Assessment of Flood Risk					
Is the site within an area of known risk of flooding? *	Yes 🛛 No 🗌 Don't Know				
If the site is within an area of known risk of flooding you may need to submit a Flood Risk Assessment determined. You may wish to contact your Planning Authority or SEPA for advice on what information r					
Do you think your proposal may increase the flood risk elsewhere? *	Yes No Don't Know				
Trees					
Are there any trees on or adjacent to the application site? *	☐ Yes ☒ No				
If Yes, please mark on your drawings any trees, known protected trees and their canopy spread close tany are to be cut back or felled.	o the proposal site and indicate if				
Waste Storage and Collection					
Do the plans incorporate areas to store and aid the collection of waste (including recycling)? *	☐ Yes ☒ No				

If Yes or No, please provide further details: * (Max 500 characters)	
The application is simply to replace the existing windows.	
Residential Units Including Conversion	
Does your proposal include new or additional houses and/or flats? *	☐ Yes ☒ No
All Types of Non Housing Development – Proposed New I	Floorspace
Does your proposal alter or create non-residential floorspace? *	☐ Yes ☒ No
Schedule 3 Development	
Does the proposal involve a form of development listed in Schedule 3 of the Town and Country Planning (Development Management Procedure (Scotland) Regulations 2013 *	es 🗵 No 🗌 Don't Know
If yes, your proposal will additionally have to be advertised in a newspaper circulating in the area of the deve authority will do this on your behalf but will charge you a fee. Please check the planning authority's website f fee and add this to your planning fee.	
If you are unsure whether your proposal involves a form of development listed in Schedule 3, please check t notes before contacting your planning authority.	he Help Text and Guidance
Planning Service Employee/Elected Member Interest	
Is the applicant, or the applicant's spouse/partner, either a member of staff within the planning service or an elected member of the planning authority? *	☐ Yes ☒ No
Certificates and Notices	
CERTIFICATE AND NOTICE UNDER REGULATION 15 – TOWN AND COUNTRY PLANNING (DEVELOPI PROCEDURE) (SCOTLAND) REGULATION 2013	MENT MANAGEMENT
One Certificate must be completed and submitted along with the application form. This is most usually Certificate B, Certificate C or Certificate E.	icate A, Form 1,
Are you/the applicant the sole owner of ALL the land? *	X Yes ☐ No
Is any of the land part of an agricultural holding? *	☐ Yes ☒ No
Certificate Required	
The following Land Ownership Certificate is required to complete this section of the proposal:	
Certificate A	

Land Ownership Certificate				
Certificate and Notic Regulations 2013	Certificate and Notice under Regulation 15 of the Town and Country Planning (Development Management Procedure) (Scotland) Regulations 2013			
Certificate A				
I hereby certify that	_			
lessee under a leas	er than myself/the applicant was an owner (Any person who, in respect of any part of the land, is the owner or is the se thereof of which not less than 7 years remain unexpired.) of any part of the land to which the application relates at a period of 21 days ending with the date of the accompanying application.			
(2) - None of the lar	nd to which the application relates constitutes or forms part of an agricultural holding			
Signed:	Farahbod Nakhaei			
On behalf of:	Burnview Properties Ltd.			
Date:	20/04/2018			
	Please tick here to certify this Certificate. *			
Checklist -	- Application for Planning Permission			
Town and Country I	Planning (Scotland) Act 1997			
The Town and Cou	ntry Planning (Development Management Procedure) (Scotland) Regulations 2013			
in support of your a	noments to complete the following checklist in order to ensure that you have provided all the necessary information pplication. Failure to submit sufficient information with your application may result in your application being deemed g authority will not start processing your application until it is valid.			
that effect? *	application where there is a variation of conditions attached to a previous consent, have you provided a statement to  Not applicable to this application			
	cation for planning permission or planning permission in principal where there is a crown interest in the land, have			
you provided a state	ement to that effect? *  Not applicable to this application			
c) If this is an applic development belong you provided a Pre-	cation for planning permission, planning permission in principle or a further application and the application is for ging to the categories of national or major development (other than one under Section 42 of the planning Act), have Application Consultation Report? *  Not applicable to this application			
Town and Country I	Planning (Scotland) Act 1997			
The Town and Cour	ntry Planning (Development Management Procedure) (Scotland) Regulations 2013			
major developments Management Proce	cation for planning permission and the application relates to development belonging to the categories of national or s and you do not benefit from exemption under Regulation 13 of The Town and Country Planning (Development dure) (Scotland) Regulations 2013, have you provided a Design and Access Statement? *  Not applicable to this application			
to regulation 13. (2) Statement? *	cation for planning permission and relates to development belonging to the category of local developments (subject and (3) of the Development Management Procedure (Scotland) Regulations 2013) have you provided a Design  Not applicable to this application			
	relates to installation of an antenna to be employed in an electronic communication network, have you provided an			

Yes No No applicable to this application

	planning permission, planning permission in principle, an application for app or mineral development, have you provided any other plans or drawings as	
Site Layout Plan or Block	k plan.	
Elevations.		
X Floor plans.		
Cross sections.		
Roof plan.		
☐ Master Plan/Framework	Plan.	
Landscape plan.		
Photographs and/or pho	tomontages.	
Other.		
If Other, please specify: * (M	ax 500 characters)	
Provide copies of the followin	g documents if applicable:	
A copy of an Environmental S	Statement. *	☐ Yes ☒ N/A
A Design Statement or Desig		☐ Yes ☒ N/A
A Flood Risk Assessment. *		☐ Yes ☒ N/A
A Drainage Impact Assessme	ent (including proposals for Sustainable Drainage Systems). *	☐ Yes ☒ N/A
Drainage/SUDS layout. *		☐ Yes ☒ N/A
A Transport Assessment or T	ravel Plan	☐ Yes ☒ N/A
Contaminated Land Assessm	nent. *	☐ Yes ☒ N/A
Habitat Survey. *		Yes N/A
A Processing Agreement. *		Yes X N/A
Other Statements (please spe	ecify). (Max 500 characters)	
Declare - For A	pplication to Planning Authority	
	hat this is an application to the planning authority as described in this form. all information are provided as a part of this application.	The accompanying
Declaration Name:	Mr Farahbod Nakhaei	
Declaration Date:	20/04/2018	
Payment Details	5	
Cheque: NV Design & Cons	truction, 000509	
-		Created: 20/04/2018 13:11



Project: 1 Prieston Road, Bridge of Weir PA11 3AJ Job No: NV0358

Client: Burnview Properties Ltd. Scale: 1:1000 @ A4

Title: Location Plan Drawn: mjc

Dwg. No: E(0)001 Date: 14.03.2018

NVDC ARCHITECTS

Bradbury House 0141 959 8752 10 High Craighall enquiries@nvdc.co.uk Glasgow, G4 9UD www.nvdc.co.uk



North Elevation as Existing, 1:100





## Revision:

Project:	1 Prieston Road, Bridge of Weir PA11 3AJ	Job No:	NV0358
Client:	Burnview Properties Ltd.	Scale:	1:100
Title:	North & East Elevations as Existing	Drawn:	mjc
Dwg. No:	E(0)110	Date:	25.04.2018

NVDC ARCHITECTS

Bradbury House 10 High Craighall Glasgow, G4 9UD



North Elevation as Proposed, 1:100

East Elevation as Proposed, 1:100

New conservation uPVC sash-and-case windows New conservation uPVC sash-and-case windows.

Replacement sash-and-case windows to match existing in terms of proportion, detail, profile dimensions and fenestration. To be EH-approved "Symphony" by MasterFrame. Replacement rooflight to be Conservation-type by Velux, or equal and approved.

5 M




## Revision:

Project:	1 Prieston Road, Bridge of Weir PA11 3AJ	Job No:	NV0358	
Client:	Burnview Properties Ltd.	Scale:	1:100	
Title:	North & East Elevations as Proposed	Drawn:	mjc	
Dwg. No:	D(1)110	Date:	25.04.2018	

**ARCHITECTS** 

Bradbury House 10 High Craighall Glasgow, G4 9UD





South Elevation as Existing, 1:100





Revision:	A - West Elevation added - 11.05.18

Bradbury House 10 High Craighall

Glasgow, G4 9UD

Project:	1 Prieston Road, Bridge of Weir PA11 3AJ	Job No:	NV0358
Client:	Burnview Properties Ltd.	Scale:	1:100
Title:	South & West Elevations as Existing	Drawn:	mjc
Dwg. No:	E(0)111	Date:	25.04.2018

NVDC ARCHITECTS



Do not scale from drawing. Use figured dimensions only.

All dimensions to be checked on site by the contractor and any discrepancies to be notified to the architect prior to works being carried out.

Drawing is copyright of NVDC Architects Ltd.

0 2 3 4 5

South Elevation as Proposed, 1:100



RENFREWSHIRE COUNCIL

Town and Country Planning (Scotland)

Act 1997

18/0295/PP

Application No.

REFUSED on 15/06/2018

Signed by On behalf of Renfrewshire Council

Revision: A - West Elevation added -11.05.18

Project:	1 Prieston Road, Bridge of Weir PA11 3AJ	Job No:	NV0358
Client:	Burnview Properties Ltd.	Scale:	1:100
Title:	South & West Elevations as Proposed	Drawn:	mjc
Dwg. No:	D(1)111	Date:	24.04.2018



Bradbury House 10 High Craighall Glasgow, G4 9UD









# Bygone Symphony

When it absolutely must look like timber because the planning officer is insisting or simply when only the very best will do, there is only one choice.

The Bygone <u>Symphony</u> is our premier sash window, with every single timber effect feature we can possibly offer, fitted as standard.

Only available in wood grained acrylic foil, Symphony has a mechanical, butt jointed corner construction, providing a remarkable timber like appearance. Running vertically, the joint is just like those you'll see on original timber sash windows, whilst our patented technology ensures a completely weather tight finish.

Bygone Symphony also boasts our exclusive super slim 39mm transom, continuous run-through horns and deep bottom rail, resulting in a very pretty window indeed.

Multi-light Symphony windows have the slim integral mullion, which enhances the appearance considerably.

The Symphony is 'A' rated, with narrower slim-line glass units (just 18mm) filled with krypton gas. Like the Harmony, Symphony windows have our deeper (20mm), more authentic internal Georgian bars and glazing beads, whilst the chamfered external bars still provide the traditional 'putty glazed' appearance.

Enhanced security comes from the exclusive porcelain ball design cam catches, available in Black, Satin Chrome Antique Brass, Pewter or Chrome, that matches the limit stops and scroll handles. As with Melody and Harmony, longer bar handles are available in place of the smaller scroll handles, should you have a particularly large or low-sitting window. See page 38.



# Bespoke locks and restrictors

## When you're investing in new windows, you'll want them to work well and look fabulous forever.

Our design team have looked at hundreds of standard carn catches. These range from thin zinc alloy imports, to chunky industrial locking systems that lack finesse. Having helped write the UK's first security standard for sash windows, we knew the structural loads and requirements needed, but also understood the primary features had to be good looking.

Over hundreds of years there have been regional variations on sash window furniture. We extended our range to offer you something that suits your property and your individual taste.

There is now a choice of three distinctive designs and a number of different colour suites.

The bespoke Bygone furniture is available in a Beehive, Acorn or Porcelain Ball style and comes in Antique Brass, Chrome, Pewter, Satin Chrome or Black.

Each cam catch has its own suited Allen key with ball top and you'll find the other window furniture, including limit stops and handles, suites perfectly.











# Bespoke furniture

## All windows need handles to open them, even if most insist on using the Georgian bars!

Traditionally, scroll handles or cups were fitted on windows internally and D handles under the top sash were fitted externally. Most home owners prefer something visually appealing that can be reached easily from the inside.

All Bygone furniture is colour suited and manufactured by the same UK based hardware company, therefore you will find all the components match and you certainly won't find an assortment of odd colours.

All Bygone windows come with two scroll handles and a single ring pull for the upper sash. Don't worry, we also offer bespoke oak handled poles to reach the ring pull.

On exceptionally large or heavy windows, some windows are better suited to bar handles to aid window operation. We can match the ends of the bar handles to the design of your cams and tilt knobs.

Scroll handles and bar handles are always supplied loose because some clients prefer to specify exactly where they should be fitted.











# Unique styles & shapes

## Our sash windows can be manufactured in a variety of styles and shapes, allowing you to match your existing window design.

Bygone windows can offer most Georgian bar designs and even some less traditional ones. We can also manufacture to specific visible glass sizes or line through with existing windows and doors.

Whilst single sliders are common place, coupled or multi-lights are regularly requested. Remember that Symphony and Harmony will have the slim integral mullion as standard, which reduces sight-lines by more than 50mm.

We are often asked to make windows with arched heads of varying degrees. Whilst a 'true arch' will have a full semi-circular head, a shallow arch or 'swept head' will have a much shallower radius. In the case of 'true arches' the top sash will always need to be fixed and will

not slide. Occasionally, our installers are asked to supply windows that are square on the inside, with a swept head on the frame outside. Even these are possible and they're simply known as 'The London sash'.

We appreciate that your home is likely to be your single biggest investment and for this reason we really don't mind you obsessing over the finer details, in fact we encourage it!

Please feel free to discuss any unusual shapes or one-off designs with your Bygone installer, they're there to help.

If you have something particularly complicated, we can even provide technical drawings to help you visualise the final design.















## Typical Styles & Patterns



All windows depicted show mechanical butt jointed construction and slim mid rail (representative of Bygone Symphony).





\*available on Harmony and Symphony only \*\*available on Melody only



# Colour options

There was a time in the evolution of PVC-U windows that everything was a shiny white, plastic looking finish. As technology has moved on and times have changed, there are now numerous colour possibilities available.

Acrylic foil was originally used on PVC-U windows as protection against damaging UV rays from sunlight.

Once PVC-U itself became UV neutral, the possibility of adding colour or a wood grain pattern to the foil became an exciting proposition.

Fast forward a few years and we now have windows, with or without a grained appearance, in any number of 'closest colour-matched' paint options.

Colours are available from the standard industry charts such as the RAL colour chart and various other popular branded charts. We can even colour match to Farrow & Ball.

All our colour matched acrylic paint finishes have an added hardener and come lacquered as standard.

On large orders of eight windows or more, we can also offer alternative foil finishes in a range of colours and wood grain effects.

The Bygone Collection has two standard foil options; white and antique cream, but do consult your installer on some of the other more unusual options available.

Make sure you ask your installer for a colour swatch and prospective prices.











## A touch of colour

Many modern products come in a variety of colours, but the box sash window, synonymous with period properties all over the UK, traditionally had a white painted finish.

This limits the demand for colours on the Bygone Collection, but with geographic colour trends and the introduction of colour options on various market leading door and casement products, unusual colours are becoming more popular.

The standard Bygone white wood grain finish is slightly off-white and can be colour matched to RAL number 9010, much as our Antique Cream can be matched to RAL number 9001.

## Colour bonded coatings

Normally we spray entire windows, however we can offer different colours externally to internally and different combinations from sash to frame. A black frame with white sashes is quite popular, whilst we have also sprayed combinations of blue and white or cream and maroon.

When the outside of the window is a different colour to the inside, we mask up and spray the balance chambers to the desired colour, so only one colour is visible from either side when in the closed position.

Our two-part chemical cured paint is far harder wearing than water based paint, as we believe durability is paramount. Standard household decorator's paints should never be used for painting PVC-U.

## **Environmental considerations**

In marine or coastal environments, salt corrosion must also be considered. We apply a durable clear lacquer on all paint finishes, regardless of exposure, to ensure that the risk of any visible signs of aging is virtually nil.

## Colour guarantees

We are so confident in our paint and the process followed, after having it independently tested, we put our reputation behind the product and extend our 12 year guarantee to include any colour bonded finish as well.

## Ancillary colour matching

A key to any good installation is having the whole package done correctly. Bygone will spray any decorative trim required by the installation company, to ensure that the finished installation colour matches perfectly.

## Extended lead times on coloured products

Please remember that colour bonded windows do take longer to produce than our standard colour options. We prefer to offer a sample of the colour prior to commencing production, and the spray process does take time. It is likely our standard lead time will be extended by at least two weeks.

<sup>\*</sup> Please remember that whilst we offer as close a match as possible to a number of colour charts from major paint suppliers, we use a high performance, micro-porous spray applied colour bonded coating, especially designed for products within the window and door industry. There is also the possibility of slight shade differences between batches of the same colour.



## Glass

## Glazing is one of the most important aspects of any window. It can be transparent or opaque, stained or coloured and can even showcase geographical patterns and fashion trends.

Glass can say a lot about a window, which in turn can tell you a lot about the property and its inhabitants. Traditionally, large panes of glass meant wealth, due to the complicated nature of glass production in the 17th Century. Smaller panes were often saved for shop fronts and included bulls eyes, the centre of the spun glass and the cheapest part.

Stained glass and overly complicated Georgian bar designs were similarly a sign of wealth in Victorian Britain and there are examples of this all over the country, but especially in the capital and more salubrious areas.

Aged lead occurs less in sash windows, but is still occasionally seen. Leaded glass often means a lot more weight in the window and can often has a negative impact on thermal efficiency.

Glazing itself has had to change with the times and other qualities are now more important to the modern home owner. These include acoustics, thermal efficiency, security and durability, often dictated by ever changing building regulations and planning laws.











## Not your average double glazing

Bygone windows are different to other sash windows in many ways and one of these differences is the use of more than one glass unit depth.

Double glazed sealed units are made up of two panes of glass and a gas filled cavity. In the window industry 24mm Argon filled glass units are widely used in sash windows, but here at Bygone we always seek perfection.

The Harmony and Symphony use an 18mm krypton gas filled glass unit with a 10mm cavity. Appearing slimmer, it also allows for a deeper glazing bead and Georgian bar on the inside of the window.

Patterned glass does not allow for both a Low E and Low Iron coating, but we will always ensure that U values and WER ratings remain as high as possible on each individual window.

## Thermal efficiency that's easy on the eye

Properties are being built closer together to accommodate an increasing demand for housing, making privacy even more as important. The challenge with obscured glass is to let in maximum light, but provide the adequate amount of privacy.

Whether it's for a bathroom or simply to mask an undesirable area of the property, different levels of obscurity are available. Glass must perform on both a practical and aesthetic level, being stylish and visually appealing, whilst providing an important function.

It is not generally known that within an obscured double glazed unit, one pane is patterned whilst the other is clear to ensure the loss of thermal efficiency is minimal.

## Beautiful and practical

Obscured or etched glass can be a stylish decorative feature and is fast becoming a popular choice among architects, designers and home owners.

There is a wide range of patterns and levels of obscurity available, from the standard textured glass patterns to the more expensive etched ranges, some of which are shown opposite, not to mention the etched Oriel range as well.

The most popular designs are Canterbury and Brocade, but we can also offer sandblasted, satin and white laminate options, offering the practicality of obscured patterns, but delivering a touch of period class where required.

## The choice is yours

The Bygone collection has practical glazing options on toughened, laminated and acoustic glass to make sure that your new Bygone windows perform in exactly the way that your property and situation require.

With certain Georgian bar designs we can offer coloured films to give the impression of stained glass, but some installers will offer the option of incorporating your own refurbished stained glass panels inside new double glazed units. This is also sometimes possible with original leaded glass panes, but do consider the extra weight.

This allows you to preserve the glass design of your windows to match the neighbours and retain the period character of your property.

If you have an unusual design or specific glass requirements, please ask your local installer. Our products are bespoke and we will always try to accommodate your needs, however obscure.

## Glossary

#### Acorn design

A bespoke Bygone furniture design, shaped like an acorn.

#### Acrylic wood grain foil

An acrylic covering on Bygone windows with a wood grain textured finish.

#### Anodised

An anti-corrosive coating applied to aluminium components.

#### Architrave

Timber or PVC-U moulding used around windows to make good internally.

#### Argon gas

A particular type of gas found inside some sealed glass units that increases thermal efficiency.

#### Article 4 directive

An additional restriction applied to conservation properties requiring development right and compulsory planning permission.

#### Astragal bar

The traditional Victorian glazing bar found on sash windows.

#### Balance retaining clips

Exclusive clips that prevent balance springs becoming detached from sashes.

#### Bar handles

A long handle for lifting the bottom sash of low-sitting windows, with suited finials, available in a range of sizes and designs.

#### **BBA**

The British Board of Agrément third party product testing.

#### Beehive design

A bespoke Bygone furniture design, shaped like a beehive.

#### **BFRC**

British Fenestration Rating Council.

#### **Box Sash**

Another name for a sash window originates because the sashes were traditionally housed within a timber box containing the sash weights and pulleys.

#### Brush pile

The draught-excluder or wool pile around the sashes to prevent air leakage.

#### Brush seal

See brush pile.

#### BSI

British Standards Institute.

#### **Butt joints**

This is the vertical corner joint traditionally found on timber windows.

#### Cam catch & keep

The male female parts of the locking mechanism found on the mid-rail on the inside of a window sometimes referred to as a fitch catch.

#### Chamfered

The angled moulding that copies a traditionally 'putty-lined' timber window, found on the external Georgian bar and sash profile on the outside of a Bygone window.

#### Cill pads

Silicone joints can leak, but this specially designed foam pad, creates a perfect weather tight seal between integral cill and frame jamb.

#### Conservation area

An area that may be considered of historical or cultural importance to the local authority.

#### **Continuous run-through horns**

A decorative continuation of the stiles, incorporating a mechanical butt joint on the bottom of upper the sash.

#### Deep bottom rail (DBR)

A deep bottom rail on the lower sash, incorporating a mechanical 'butt' joint to strengthen the bottom sash.

#### **DGU**

'Double glazed unit' is a term for a sealed glass unit consisting of two panes of glass and a central cavity, often containing a particular gas.

#### Double glazed

When two panes of glass are used instead of one.

#### **Dummy sashes**

Sashes within a window that are deliberately fixed and do not slide.

#### **Etched glass**

Patterned glass where the pattern is etched into the glass rather than textured or obscured.

#### **Existing box frame**

The original timber box that housed the original sash weights and pulleys.

#### **Face-fixed bars**

Astragal bars that are fixed to the outside of the glass both internally and externally to recreate the impression of timber glazing bars.

#### Fenestration

The arrangement of windows on a building.

#### **FENSA**

Fenestration Self-Assessment Scheme. A competent person scheme for window and door installers.

#### **Finger Latch**

The mechanism operated by a tilt knob that allows the sash to be disengaged from the frame for the 'tilt to clean' facility.

#### Foam baffles

A foam square applied above the tilt rest guides, preventing air penetration through the balance chambers.

#### Frame profile

The outside frame member.

#### Frame vent

A trickle vent fitted to the frame head on a window - see trickle vent.

#### Georgi®Clips

A small patented metal clip that fits around a glass unit and under the glazing bead to securely attach astragal glazing bars.

#### **GGF**

The Glass and Glazing Federation, an industry trade federation.

#### Glazing bead

The beading around the inside edge of a sash, holding the glass unit in place.

#### **Gloss PVC-U**

The standard PVC-U gloss finish found on PVC-U windows without a foil coating.

#### Grade I and II listed

A heritage rating given to properties of historical significance, stipulating planning permission to protect their appearance.

#### Handed cams

When two Bygone cam catches are required on a window they are paired LH and RH for symmetry and security.

#### Head rail

The top bar of the sash or frame.

#### **Infill strip**

A patented PVC-U insert that replaces the brush-pile on the inside of a window.

#### Integral mullion

An exclusive slim mullion section, used on double or triple windows made in one frame section.

#### Internal Staff Bead Trim

This trim replicates a sash box on the inside of the window, hiding the join between sash and frame. Internal staff bead trim is mounted on a hinge and held in place magnetically, allowing the sashes to tilt when cleaning is required.

#### Jambs

The industry term for the sides of a window.

#### **Krypton Gas**

The dense gas used within an 18mm 'slim' sealed glass unit.

#### Laminated glass

Two pieces of glass bonded together with an acrylic interlayer.

#### 'Lift out' pivot bars

Metal bars, designed to allow sash removal for maintenance, ease of access and escape.

## Glossary

#### Limit stops

A recessed item of furniture applied to the top sash that limits the opening of the window(usually 100mm) when engaged.

#### London Sash

A sash window design with the appearance of a curved head externally, but a rectangular head internally.

#### Low E

The 'Low Emissivity' coating normally applied to the inside pane within the cavity of a double glazed sealed glass unit to achieve better thermal efficiency.

#### Low iron

Glass with low iron content is used on the outside pane of some double glazed sealed glass units to increase clarity and maximise solar gain.

#### Meeting rail

Also known as a mid-rail or transom, this is the rail running across the window, where the top and bottom sashes meet.

#### **Multi-lights**

Window frames made up of two or three windows in a row, also referred to as a style 2 or style 3.

#### Mullion

The dividing section on multi-light windows or is a term also used to describe the brick piers on Victorian or Georgian, Bay windows.

#### Muntin bar

See Astragal bar.

#### Obscured glass

Patterned, textured or opaque glazing to obscure transparency and often used in bathroom windows.

#### Ovolo

Also referred to as Ogee, this is the moulding found on the Georgian bar and glazing bead on the inside of Bygone windows.

#### PAS24

A published product standard for enhanced fenestration security previously known as BS7950 that sets a standard for enhanced window security.

#### Pole eyes

A circular bracket fixed to the top of the window so a pole hook can be used to lower the tops sash when out of reach.

#### Pole hook

A wooden pole with a metal hook on one end for lowering a top sash when out of reach and a pole eye is fitted.

#### **Premier Partner**

A window installation company that is a member of the Bygone preferred installer network.

#### Pre-tensioned

Balance springs that can be used immediately from the factory, without any adjustment required.

#### **Putty line**

The term used to describe the chamfered appearance of the sash frame where it meets the glazing. This is due to putty traditionally being used when glazing timber windows.

#### **PVC-U**

Polyvinylchloride - Unplasticised.

#### Safety arms

A more durable stay, employed when sashes are too heavy to be safely held by tilt rests;
- see tilt rests.

#### Safe T Stavs

See safety arms.

#### Sand blasted glass

Clear glass blasted with grains of sand at high pressure to achieve a semi-opaque appearance.

#### Sash lifts

A pair of small curved handles fitted to the bottom of the lower sash on the inside allowing the sash to be opened.

#### Sash profile

The design of the sash and the term used for the individual length of PVC-U used for the window sashes.

#### Sash stop

A section of PVC-U covers profile, cut to a particular length and covered with a cap that limits the range of the sash to prevent over extending the balances.

#### Sash vent

A trickle vent fitted to the sash head on a window - see trickle vent.

#### Satin glass

Semi-opaque glass with a similar appearance to sandblasted with a smoother finish.

#### **Scroll handles**

See Sash lifts.

#### Sealed unit

See DGU.

#### Springing line

On a window with a curved head, this is the distance between the apex and the shoulder (start of the curve) of the window.

#### Swept head

A window with a curved head, but with a shallower radius than a true arch.

#### Tilt rests

A metal arm housed in the frame and connected to the sash that holds in position when tilted inwards for cleaning.

#### Torso balance

Bespoke balance springs, calibrated for each individual sash and selected for their durability and longevity.

#### Travel restrictors

See limit stops.

#### Trickle vent

A two part component, consisting of internal vent and external vent hood to promote secure air flow when the window is closed.

#### True arch

A window with a curved head and springing line of half the width, creating a semicircular arched head.

#### Ultra-lift balance

A type of spring balance with a twisted metal rod housed within a spring.

Particularly durable, these spring balances also produce an ultra smooth action.

#### **UV** neutral

Unaffected when exposed to ultra-violet light.

#### U-value

The calculation often used to denote the thermal efficiency of a window when considering heat loss.

#### Weights & pullevs

The sash cord and lead weights found in original timber box sash windows that allowed the windows to be held unassisted in the open or closed position.

#### Welded mitre joint

This is the angled joint on the frame and sash of a PVC-U window. These joints are mitred at an angle of 45 degrees using a welder.

#### WER

"Window energy rating' calculated using the solar gain against heat lost registered with BFRC.

#### Window board

The internal timber cill fitted underneath a window on the inside.



## Accreditations



The Bygone Collection is British Board of Agrément, 'Whole of life'\* endurance tested, meaning our product range is fully BBA approved.\*\*

This essentially means that everything is submitted for testing, including all components, balances and even our unique hardware.

Additionally, and unlike any other company, our method of plant on Georgian bars convinced the BBA to approve them for ten years!

\* 20,000-cycle endurance testing is to simulate a "whole of life" test, it is an onerous test designed to recreate a 20-year lifetime of a product. www.bbacerts.co.uk \*\*Subject to ongoing product testing and size parameters.



## WER's and BFRC

Bygone windows are 'A' rated as standard.

BFRC is the British Fenestration Ratings Council and they decide how to interpret energy efficiency calculations for the whole of the UK.

The BFRC rate products from 'F' to 'A'. 'A' rating means the window is energy neutral or 'energy positive', in that it gains more heat than it loses over its annual cycle. Find out more on FENSA and WER's at: www.bfrc.org



## **Energy Savings Trust**

The Energy Savings Trust can only recommend the highest performing companies so it is only the best products that get to be Energy Savings Trust endorsed. Having been awarded the first five certificates from the BFRC, (the British Fenestration Ratings Council), we were further recognised by the Energy Savings Trust as the first company to be recommended by them in the UK. energysavingtrust.org.uk



The Association of Chief Police Officers (ACPO) set up Secured by Design (SBD) to encourage the building industry to adopt crime prevention measures in housing.

The scheme creates a safer and more secure environment, including safer windows.

Very few products meet these enhanced security levels but by fully reinforcing our sashes with steel, using robust furniture and reinforced finger latches and then having them independently tested by SBD, means you can be satisfied that your windows will be as secure as we claim them to be.

## **Kalcium Organic**

The Bygone Collection sash windows are virtually lead free, using calcium organic stabilisers as a healthier option for the planet.



## **GGF**

Masterframe are associate members of the Glass and Glazing Federation **www.ggf.co.uk** and we encourage our Bygone Premier Partners to be members too.

Ref. 18/0295/PP Page: 1

RENFREWSHIRE COUNCIL Application No: 18/0295/PP

DEVELOPMENT AND HOUSING SERVICES Regd: 20/04/2018
RECOMMENDATION ON PLANNING APPLICATION

Applicant Agent

Burnview Properties Ltd. NVDC Architects
Burnview Bradbury House

Prieston Road 10 High Craighall Road

Bridge of Weir Glasgow PA11 3AW G4 9UD

Nature of proposals: Replacement of windows

Site:

1 Gateside, Prieston Road, Bridge of Weir, PA11 3AH

Application for:

Planning Permission-Full

### Description

Planning permission is sought for the replacement of the windows on a 2 storey traditional building, originally accommodating a bank, in Bridge of Weir, which falls within a conservation area.

The property is located on the elevated corner site at the junction of Prieston Road with Main Street, Bridge of Weir Road and Kilbarchan Road. It is finished in red sandstone to the walls and slate to the roof with timber windows to all but the west elevation. The main entrance door is located in the middle of the east elevation and secondary door is in the middle of the south elevation, both of timber construction. There are landscaped gardens to the east and south and the narrow area of mature trees and overgrown shrubs to the north and west. The boundary treatment consists of approx. 1.2m metal fence on the stone pediment with the gates to the east and south leading to the entrances.

The proposal is for the replacement of the timber sash and case windows with 'heritage uPVC windows, eleven to the south elevation, seven to the east elevation, twelve to the north elevation and reinstatement of one window to the west elevation.

A brochure containing details of heritage style uPVC windows has been submitted with the application. However, no window specifications have been submitted to include size, fenestration and method of opening.

#### History

03/1347/PPM - Formation of external access ramp to side and rear elevation and installation of new entrance door; Granted subject to conditions on 1 April 2004.

03/1348/LBS - Formation of access ramp and new entrance door; Permission not required – 15 December 2003

## Policy & Material Considerations

Renfrewshire Local Development Plan 2014

Policy ENV3 - Built Heritage.

Policy P1 - Renfrewshire's Places

## New Development Supplementary Guidance 2014 Conservation Areas

## Material considerations

Historic Environment Scotland's 'Managing Change in the Historic Environment' guidance notes.

Planning legislation requires that planning decisions are made in accordance with the Development Plan unless material considerations indicate otherwise. In this case the proposals require to be assessed against the above policies and guidance.

## Publicity

The Council has undertaken neighbour notification in accordance with the requirements of the legislation. Additionally, the proposals were advertised in the Paisley and Renfrewshire Gazette on 9 May 2018 with a deadline for the submission of representations of 30 May 2018

## Objections/Representations

None received

## Consultations

None required

## **Summary of Main Issues**

Environmental Statement - Not applicable
Appropriate Assessment - Not applicable
Design Statement - Not applicable
Access Statement - Not applicable
Other Assessments - Not applicable
Planning Obligation Summary - Not applicable
Scottish Ministers Direction - Not applicable

#### Assessment

Policy P1 of the Renfrewshire Local Development Plan with accompanying New Development Supplementary Guidance both state that new developments should be compatible and complementary to existing uses.

Policy ENV3 of the Renfrewshire Local Development Plan and Historic Environment Scotland's Guidance require that development proposals should seek to preserve and enhance conservation areas. Policy ENV3 states that the massing, height, materials, scale, sitting and use of any development which would affect the conservation area must be sensitive to its character, and will protect, preserve or enhance the visual amenity of the area. These objectives are also supported by the criteria in the New Development Supplementary Guidance relating to conservation areas.

The proposal is to replace the total of 30 traditional timber sash and case windows with modern uPVC in 'heritage' style windows and reinstatement of one blocked up window. The property occupies a visually prominent corner at the entrance to the village of Bridge of Weir and is elevated from the Bridge of Weir Road and Main Road directions. With the exception of the west elevation, the property elevations are highly visible from the street. It is considered that the property has retained its distinct historical character and integrity and is located within a key location within the conservation area, close to the entrance of the Local Service Centre. The property has a large number of windows on public elevations which together with other architectural detailing, contribute to the special interest of the building.

A brochure of heritage windows has been submitted, however a window specification has

Ref. 18/0295/PP Page: 3

not been submitted with the application. On the initial site visit, it was noted that the windows appear to be in reasonable condition. The applicant has not provided any information on the condition of the windows. Notwithstanding this, the above policies indicate the presumption in favour of repair of traditional timber sash and case windows, the replacement of windows should only be accepted where the windows are proven to be beyond repair. Like for like replacement of windows is encouraged and modern substitutes are firmly discouraged, mainly due to the visual amenity and impact on the character of the building and the conservation area.

In view of the above, it is considered that the replacement windows would have a detrimental affect on the property and the conservation area

## Recommendation and reasons for decision

Having had due regard to the above, it is considered that the proposal does not comply with the above policies and guidance, as it will have a detrimental impact on the character of the building and the visual amenity of the conservation area. It is therefore recommended that the application is refused.

Index of Photographs

Photographs of the application site have been taken and the images archived.

RECOMMENDATION	
Refuse	
Other Action	

### Conditions and Reasons

The proposal is contrary to the Policy ENV3 of the Renfrewshire Local Development Plan and the New Development Supplementary Guidance relating to conservation areas as it would have a detrimental impact on the character of the building and the visual amenity of the conservation area.

Fraser Carlin Head of Planning and Housing

Local Government (Access to Information) Act 1985 - Background Papers For further information or to inspect any letters of objection and other background papers, please contact Sharon Marklow on 0141 618 7835.



















Applicant: Burnview Properties Ltd.	Ref. No: 18/0295/PP
Site: 1 Gateside, Prieston Road, Bridge of Weir, PA11 3AH	Officer: Kasia Smith

## Plans to be stamped

Drawing Number	Drawing Title	Paper & Anite Set (Officer)	Stamped (Admin)	Stamped on anite (Admin)
E(0)001	Location plan	<b>✓</b>		1/
E(0)101	Plans as existing	<b>✓</b>		1/
E(0)110	North & East elevations as existing	<b>✓</b>		1/
E(0)111	South & West elevations as existing	<b>✓</b>		1/
D(1)101	Plans as proposed	1		1//
D(1)110	North & East elevations as proposed	<b>/</b>		1/
D(1)111	South & West elevations as existing	<b>✓</b>		
				7

Officers Initials: KS	Admin Initials:	IA	
Checked by:			



My Ref:

Contact:

Kasia Smith

Telephone: 0141 618 7757

Email:

dc@renfrewshire.gov.uk

Date:

15/06/2018



**NVDC** Architects Bradbury House 10 High Craighall Road Glasgow **G4 9UD** 

Proposal:

Replacement of windows

Location:

1 Gateside, Prieston Road, Bridge of Weir, PA11 3AH

Application No. 18/0295/PP

Dear Sir/Madam

## NOTIFICATION OF REFUSAL OF CONSENT

The Council has decided to refuse your application, details of which are given above. I enclose a decision notice which provides details of the reasons for refusal. I also enclose a copy of your submitted plans duly endorsed.

You have the right to seek a review of this decision by submitting a Notice of Review within three months from the date of the decision notice to the Head of Corporate Governance, Renfrewshire House, Cotton Street, Paisley PA1 1TR. The Notice of Review form and guidance is available on the Council's website or by contacting Legal & Democratic Services.

Yours faithfully,



Ref. 18/0295/PP





## **DECISION NOTICE**

Town and Country Planning (Scotland) Act 1997
Planning etc. (Scotland) Act 2006
Town and Country Planning (Development Management Procedure) (Scotland) Regulations 2013

### TO

Burnview Properties Ltd. Burnview Prieston Road Bridge of Weir PA11 3AW

With reference to your application registered on 20/04/2018 for Planning Consent for the following development:-

## **PROPOSAL**

Replacement of windows

## LOCATION

1 Gateside, Prieston Road, Bridge of Weir, PA11 3AH

## DECISION

The Council in exercise of their powers under the above Acts and Orders, having considered the above proposal, the plans endorsed as relating to it and the particulars given in the above application hereby:-

REFUSE Planning Consent for the reasons given on the reverse/paper apart.

### PLANS AND DRAWINGS

The plans and drawings relative to this refusal are those identified in the Schedule of Plans/Drawings attached as a paper apart and forming part of this Decision Notice.

Dated 15/06/17

Signed
Appointed Officer

on behalf of Renfrewshire Council

## PAPER APART

## TERMS AND CONDITIONS

The proposal is contrary to the Policy ENV3 of the Renfrewshire Local Development Plan and the New Development Supplementary Guidance relating to conservation areas as it would have a detrimental impact on the character of the building and the visual amenity of the conservation area.

Ref. 18/0295/PP

Page: 3



## **TOWN AND COUNTRY PLANNING (SCOTLAND) ACT 1997**

- 1. If the applicant is aggrieved by the decision to refuse permission for or approval required by a condition in respect of the proposed development, or to grant permission or approval subject to conditions, the applicant may require the planning authority to review the case under section 43A of the Town and Country Planning Act (Scotland) Act 1997 within three months beginning with the date of this notice. The notice of review should be addressed to Head of Legal and Democratic Services, Renfrewshire House, Cotton Street, Paisley PA1 1PR.
- 2. If permission to develop land is refused or granted subject to conditions and the owner of the land claims that the land has become incapable of reasonably beneficial use in its existing state and cannot be rendered capable of reasonably beneficial use by the carrying out of any development which has been or would be permitted, the owner of the land may serve on the planning authority a purchase notice requiring the purchase of the owner of the land's interest in the land in accordance with Part 5 of the Town and Country Planning (Scotland) Act 1997.